

The following is an index of the major topics addressed in the AANA Journal during 2017. The index is alphabetized according to headings, and entries appear in chronological order within the headings. Author and subject indexes are integrated.

A

AANA Journal: increasing online presence of, 6
 AANA Journal Course Updates for Nurse Anesthetists: 1: tour of autonomic reflex activity relevant to clinical practice, 141; 2: review of dental anatomy and dental injury associated with anesthesia, 222; 3: physiology and pharmacology related to acute perioperative pain management, 300; 4: overview of anesthetic management for the brain-dead donor and organ recovery, 385; 5: maxillomandibular fixation and anesthesia management, 469; 6: other side of the difficult airway, 61
 Academic success: self-efficacy and graduate education in nurse anesthesia, 205; wellness and thriving in student population, 325
 Acetaminophen: intravenous, for perioperative pain control in adult elective neurospine surgical patients, 181
 Acute pain: intravenous acetaminophen for perioperative pain control in adult elective neurospine surgical patients, 181
 Adams P: pain management efficacy study between continuous and single-administration bupivacaine following lumbar spinal fusion [Tumulak et al.], 91
 Adler AC: propofol: review of potential risks during administration, 104
 Adults: statins for primary prevention of CV disease for, 89
 Aging: fasting diet in slowing, 89
 Airway management: dental injuries during, 222
 Airway obstruction: ventilatory management during intraoperative, due to endotracheal tube kinking, 178
 Aker J: review of dental anatomy and dental injury associated with anesthesia [Stein and Aker], 222
 Alcohol consumption: as risk factor for adverse brain outcomes and cognitive decline, 246
 American Association of Nurse Anesthetists: creation of wellness program, 325
 American Society of Health-System Pharmacists: guidelines for perioperative antibiotic selection and administration, 293
 Amputations: new approach to, 246
 Anabolic steroids: refractory hypotension in patient with history of abuse, 340
 Analgesia: multimodal, in pain management efficacy study between continuous and single-administration bupivacaine following lumbar spinal fusion, 91
 Analgesics: intravenous dexamethasone for prolonged duration of axillary nerve blockade, 189
 Andrejco K: social media in nurse anesthesia: a model of a reproducible educational podcast [Andrejco et al.], 10
 Anesthesia: dental anatomy and dental injury associated with, 222; effectiveness of interventions to increase provider monitoring of endotracheal tube and laryngeal mask airway cuff pressures, 98; epidural, in patient with suspected uterine rupture, 136; future of Certified

Registered Nurse Anesthetists in South Korea, 361; guidelines for perioperative antibiotics selection and administration, 293; implementation of obstructive sleep apnea screening program at overseas military hospital, 42; implications of superior vena cava syndrome in interventional radiology, 453; inadvertent overdose of lidocaine in infant with arthrogryposis multiplex congenita, 357; intravenous dexamethasone for prolonged duration of axillary nerve blockade, 189; laryngeal mask airway use in morbidly obese patients undergoing general, 130; Lyme disease and, 427; management for brain-dead donor and organ recovery, 385; maxillomandibular fixation and, 469; needs assessment for development of the TIME anesthesia handoff tool, 431; patient satisfaction with, 286; point-of-contact assessment of nurse anesthetists' knowledge and perceptions of management of critical incidents related to, 55; postoperative cognitive dysfunction after noncardiac and nonneurologic surgery, 10; propofol disposal in, 417; refractory hypotension in patient with history of anabolic steroid abuse taking an angiotension-II receptor blocker, 340; for surgical resection of recurring primary cardiac rhabdomyosarcoma, 36; ventilatory management during intraoperative airway obstruction due to endotracheal tube kinking, 178. *See also* Nurse anesthesia
 Angiotensin-II receptor blocker: refractory hypotension in patient with history of anabolic steroid abuse taking, 340
 Animal testing: research in beauty industry and, 245
 Annis K: hospital policies regarded CRNA attire in the operating room [Annis et al.], 410
 Anti-inflammatories: intravenous dexamethasone for prolonged duration of axillary nerve blockade, 189
 Anxiety: instruments to measure preoperative acute situational, 31
 Anxiolysis: investigation of eucalyptol in the adult male Sprague-Dawley rat, 277
 Appel SJ: interventions to increase provider monitoring of endotracheal tube and laryngeal mask airway cuff pressures [Ashman et al.], 98
 Aquino E: needs assessment for development of the TIME anesthesia handoff tool [Gibney et al.], 431
 Arthrogryposis multiplex congenita: overdose of lidocaine in infant with, 357
 Ashman RE: interventions to increase provider monitoring of endotracheal tube and laryngeal mask airway cuff pressures [Ashman et al.], 98
 Autism-related phenotypes: vitamin D treatment during pregnancy in preventing, 165
 Autonomic reflexes: relevance to clinical practice, 141
 Averlid G: Norwegian nurse anesthetist perceptions of professional development and the influence of production pressure, 345
 Axillary nerve blockade: intravenous dexamethasone for prolonged duration of, 189

B

Babies: genome sequenced, 8
 Bailey maneuver: other side of the difficult airway and, 61
 Baker K: tour of autonomic reflex activity relevant to clinical practice [Conley et al.], 141

- Barba AJ: effectiveness of interventions to increase provider monitoring of endotracheal tube and laryngeal mask airway cuff pressures [Ashman et al.], 98
- Bathla S: inadvertent massive overdose of lidocaine in an infant with arthrogryposis multiplex congenita treated successfully with lipid emulsion [Bathla et al.], 357
- Batra R K: addition of fentanyl to ropivacine infusion in continuous thoracic paravertebral infusion [Pushparajan et al.], 352
- Beauty industry: research in, and animal testing, 245
- Belize: development, implementation, and evaluation of nurse anesthesia program in, 123
- Bernardo LM: development, implementation, and evaluation of nurse anesthesia program in Belize [Hammond et al.], 123
- Bhan A: addition of fentanyl to ropivacine infusion in continuous thoracic paravertebral infusion [Pushparajan et al.], 352
- Bharti SJ: complications after ganglion impar block for chronic cancer pain management [Gupta et al.], 424
- Biddle C: tour of autonomic reflex activity relevant to clinical practice [Conley et al.], 141
- Billing modifiers: anesthesia Medicare trend analysis showing increased utilization of CRNA services, 375
- Bioimaging: postoperative cognitive dysfunction after noncardiac and nonneurologic surgery, 10
- Biomarkers: postoperative cognitive dysfunction after noncardiac and nonneurologic surgery, 10
- Biopsy: guided percutaneous for pulmonary hemorrhage during computer tomography, 166
- Blood pressure regulation: role of renin-angiotensin-aldosterone system in, 340
- Blood warming method: cost-effective alternative in preventing intraoperative hypothermia, 28
- Bone destruction: as part of the pathophysiology of malaria, 245
- Boyd D: certified registered nurse anesthetist working conditions and outcomes [Boyd and Poghosyan], 261
- Bradycardia: effects of ondansetron on, in obstetric and nonobstetric subjects, 113
- Brain-dead donors: anesthesia management for organ recovery and, 385
- Brain outcomes: alcohol consumption as risk factor for, 246
- Brown ST: development, implementation, and evaluation of a nurse anesthesia program in Belize [Hammond et al.], 123
- Bupivacaine: pain management efficacy study between continuous and single-administration, following lumbar spinal fusion, 91
- Burnout: for certified registered nurse anesthetists, 261
- Burns S: self-efficacy and graduate education in a nurse anesthesia program [Imus et al.], 205
- ## C
- Calendar of Events, 73, 149, 231, 309, 393, 478
- Cancer: complications after ganglion impar block for pain management, 424; mutational signatures associated with tobacco smoking, 8. *See also* Malignancies
- Cannabinoids: for epilepsy, 245
- Capstone project: literature searching for practice research, 195
- Cardiac rhabdomyosarcoma: anesthetic management and intraoperative implications for surgical resection of recurring primary, 36
- Cardiovascular disease (CVD): statins for primary prevention of, in adults, 89
- Case reports: anesthetic implications of superior vena cava syndrome in interventional radiology, 453; anesthetic management and intraoperative implications for surgical resection of recurring primary cardiac rhabdomyosarcoma, 36; bilateral tension pneumothoraces during colonoscopy, 171; pulmonary hemorrhage during computed tomography-guided percutaneous lung biopsy, 166; refractory hypotension in patient with history of anabolic steroid abuse taking angiotensin-II receptor blocker, 340
- Case studies: intravenous acetaminophen for perioperative pain control in adult elective neurospine surgical patients, 181; intravenous dexamethasone for prolonged duration of axillary nerve blockade, 189
- Catheters: comparison of flow dynamics of peripherally and centrally inserted intravenous, 256; flow dynamics of centrally inserted intravenous, 250; need for chest radiography after, 166
- Centrally inserted intravenous catheter: flow dynamics of, 250
- Cerebral oximetry: usefulness of, in preventing postoperative cognitive dysfunction in patients undergoing coronary artery bypass grafting, 49
- Ceremuga TE: investigation of the anxiolytic and antidepressant effects of eucalyptol in the adult male Sprague-Dawley rat [Ceremuga et al.], 277
- Certified Registered Nurse Anesthetists (CRNAs): anesthesia management for brain-dead donor and organ recovery, 385; anesthesia Medicare trend analysis and increased utilization of, 375; future of, in South Korea, 361; literature searching for practice research, 195; perceptions of, on factors affecting transition from student, 438; point-of-contact assessment of knowledge and perceptions of management of critical incidents related to, 55; transfer of patient care and patient safety skills to student registered nurse anesthetists, 331; workforce initiative for predictors of employment in Florida, 217; working conditions and outcomes for, 261
- Chakrabarti D: airway management in infant with huge hydrocephalus [Manohar et al.], 248; simple cost-effective alternative to fluid and blood warming system to prevent intraoperative hypothermia [Chakrabarti et al.], 28; ventilatory management during intraoperative airway obstruction due to endotracheal tube kinking [Deepti et al.], 178
- Chest radiography: need for following ultrasound-guided right internal jugular catheterization, 165
- Chronic traumatic encephalopathy: in ex pro soccer players, 164
- Clinical education: preceptorship in, 331; self-efficacy and graduate education in nurse anesthesia, 205. *See also* Education
- Clinical practice: relevance of autonomic reflexes to, 141
- Coates C: hospital policies regarded CRNA attire in the operating room [Annis et al.], 410
- Cobb H: comparison of flow dynamics of peripherally and centrally inserted intravenous catheters using rapid infusion system (ThermaCor 1200) [Wrenn et al.], 256
- Cognitive decline: alcohol consumption as risk factor for, 246
- Collins S: social media in nurse anesthesia [Andrejco et al.], 10
- Colonic perforation: during colonoscopy, 171
- Colonoscopy: bilateral tension pneumothoraces during, 171
- Complementary therapy: instruments to measure preoperative acute situational anxiety, 31
- Complications: overdose of lidocaine in infant with arthrogryposis multiplex congenita, 357
- Computed tomography-guided percutaneous lung biopsy: pulmonary hemorrhage during, 166
- Condra J: comparison of flow dynamics of peripherally and centrally inserted intravenous catheters using rapid infusion system (ThermaCor 1200) [Wrenn et al.], 256
- Conflict: for certified registered nurse anesthetists, 261
- Conley A: tour of autonomic reflex activity relevant to clinical practice [Conley et al.], 141

Contamination: review of potential risks during administration of propofol, 104
Cost-effectiveness: alternative to fluid and blood warming system in preventing intraoperative hypothermia, 28
Critical incidents: point-of-contact assessment of nurse anesthetists' knowledge and perceptions of management of anesthesia-related, 55
CRNA. *See* Certified Registered Nurse Anesthetists (CRNA)
Cuff pressure monitoring with manometer: in endotracheal tube and laryngeal mask airway cuff pressures, 98
Cushing MR: anesthetic management and intraoperative implications for surgical resection of a recurring primary cardiac rhabdomyosarcoma [Cushing and Leonardi], 36

D

Dahlen L: review of physiology and pharmacology related to acute perioperative pain management [Dahlen and Oakes], 300
Darlong V: addition of fentanyl to ropivacine infusion in continuous thoracic paravertebral infusion [Pushparajan et al.], 352
Database search: literature searching for practice research, 195
Debriefing: development on online, evidence-based CRNA preceptor training tutorial, 331; point-of-contact assessment of nurse anesthetists' knowledge and perceptions of management of anesthesia-related critical incidents, 55
Deepti BS: airway management in infant with huge hydrocephalus [Manohar et al.], 248; simple cost-effective alternative to fluid and blood warming system to prevent intraoperative hypothermia [Chakrabarti et al.], 28; ventilatory management during intraoperative airway obstruction due to endotracheal tube kinking [Deepti et al.], 178
Deng F: intravenous acetaminophen for perioperative pain control in adult elective neurospine surgical patients: a retrospective case-control study [Deng et al.], 181
Dental injuries: associated with anesthesia, 222
Developing countries: development, implementation, and evaluation of nurse anesthesia program in, 123
Dexamethasone: intravenous, for prolonged duration of axillary nerve blockade, 189
Diets: fasting, in fighting disease and slowing aging, 89
Difficult airway: other side of, 61
Direct laryngoscopy: comparison with GlideScope video laryngoscopy for injury incidence during endotracheal intubation, 445
Disease: fasting diet in fighting, 89
Dishman D: anesthetic implications of superior vena cava syndrome in interventional radiology, 453
Doctor of nursing practice (DNP): literature searching for practice research, 195
Drug abuse: refractory hypotension in patient with history of anabolic steroid abuse, 340
Dudley M: wellness and thriving in a student registered nurse anesthetist population [Grinnin et al.], 325

E

Easton A: development of an online, evidence-based CRNA preceptor training tutorial (CPiTT) [Easton et al.], 331
Editorials: increasing online presence of the *AANA Journal*, 6
The Editor's Desk: accelerated approval and expensive drugs: a challenging combination, 323; American Association of Blood Banks Clinical Guidelines: transfusion thresholds, 164; bioaccumulation of organic pollutants in ocean fauna,

89; bone destruction as part of the pathophysiology of malaria, 245; breakthrough against drug-resistant TB, 89; cannabinoids for epilepsy—real data, at last, 245; chronic traumatic encephalopathy (CTE) in ex pro soccer players, 164; drinking water, 8; educational intervention decreases opioid prescribing after general surgical operations, 164; fasting diet in fighting disease and slowing aging, 89; frailty: measuring it, understanding it, and considering its effect on outcomes, 246; having baby's genome sequences, 8; impact of low-dose CT screening on smoking cessation among high-risk participants in the UK lung cancer screening trial, 324; moderate alcohol consumption as risk factor for adverse brain outcomes and cognitive decline, 246; mutational signatures associated with tobacco smoking in human cancer, 8; new approach to amputation could reduce phantom pain, 246; new data on opioid use and prescribing in the US, 323; outcomes of hip fracture, 8; physiology of Tibetans living at the world's highest plateau, 164; prevention of migraine, 245; researchers in beauty industry are fighting animal testing via lab-made human skin, 245; routine chest radiography is not necessary after ultrasound-guided right internal jugular catheterization, 165; science and clinical potpourri for your life and your practice, 323; statin use for primary prevention of CV disease in adults, 89; in utero exposure to diesel exhaust particulates is associated with an altered cardiac transcriptional response to transverse aortic constriction and altered DNA methylation, 323; vitamin D treatment during pregnancy prevents autism related phenotypes in a mouse model of maternal immune activation, 165; yellow light to human embryo editing, 90
Education: development, implementation, and evaluation of nurse anesthesia program in Belize, 123; low-cost trachea for deliberate practice of cricothyrotomy and retrograde wire use, 271. *See also* Clinical education; Nurse anesthesia education; Online learning
Elevated plus-maze: investigation of eucalyptol in the adult male Sprague-Dawley rat, 277
Elisha S: patient satisfaction with anesthesia care [Falco et al.], 286
Employment: future of Certified Registered Nurse Anesthetists in South Korea, 361; workforce initiative for predictors of CRNA employment in Florida, 217; working conditions for certified registered nurse anesthetists, 261
Endotracheal intubation: interventions to increase provider monitoring of cuff pressures, 98; laryngeal mask airways in morbidly obese patients undergoing general anesthesia, 130; randomized, blinded, clinical study of injury incidence during, 445; ventilatory management during intraoperative airway obstruction due to kinking, 178
Epidural anesthesia: in patient with suspected uterine rupture, 136
Epilepsy: cannabinoids for, 245
Eucalyptol: effects of, in adult male Sprague-Dawley rat, 277
Eucalyptus: effects of eucalyptol in the adult male Sprague-Dawley rat, 277
Extubation: other side of difficult airway, 61

F

Falco D: patient satisfaction with anesthesia care [Falco et al.], 286
Feczko J: needs assessment for development of the TIME anesthesia handoff tool [Gibney et al.], 431
Fentanyl: as addition to ropivacine infusion in continuous thoracic paravertebral infusion, 352
Florida: workforce initiative for predictors of CRNA

employment in, 217
Flow rates: comparison of, for peripherally and centrally inserted intravenous catheters using rapid infusion system, 250
Fractures: hip, 8
Frailty: measuring and understanding, 246

G

Ganglion impar block: complications after, for chronic cancer pain management, 424
Garg R: complications after ganglion impar block for chronic cancer pain management [Gupta et al.], 424
Gavel TR: randomized, blind, clinical study of injury incidence during endotracheal intubation [Scholtis et al.], 445
Genome: having baby's sequenced, 8
George-Gay B: high-fidelity simulation study of intraoperative latent hazards and their impact on anesthesia care-related handoff outcomes [Lowe and George-Gay], 250
Gerberi D: literature searching for practice research [Gerberi and Marienau], 195
Gibney C: needs assessment for development of the TIME anesthesia handoff tool [Gibney et al.], 431
GlideScope video laryngoscopy: comparison with direct laryngoscopy for injury incidence during endotracheal intubation, 445
Glymph DC: workforce initiative for current predictors of CRNA employment in the state of Florida [Wunder et al.], 217
Gold M: intravenous dexamethasone for prolonged duration of axillary nerve blockade [Lim and Gold], 189
Graduate education: self-efficacy and, in nurse anesthesia, 205
Green XC: investigation of the anxiolytic and antidepressant effects of eucalyptol in the adult male Sprague-Dawley rat [Ceremuga et al.], 277
Gregoski MJ: instruments to measure preoperative acute situational anxiety: an integrative review [Jaruzel and Gregoski], 31
Griffin A: wellness and thriving in a student registered nurse anesthetist population [Grinnin et al.], 325
Grounded theory: Norwegian nurse anesthetist perceptions of professional development and production pressure, 345
Gupta A: inadvertent massive overdose of lidocaine in an infant with arthrogryposis multiplex congenita treated successfully with lipid emulsion [Bathla et al.], 357
Gupta N: complications after ganglion impar block for chronic cancer pain management [Gupta et al.], 424

H

Haas RE: refractory hypotension in a patient with a history of anabolic steroid abuse taking an angiotensin-II receptor blocker [Jensen and Haas], 340
Hammond KA: development, implementation, and evaluation of a nurse anesthesia program in Belize [Hammond et al.], 123
Handoffs: anesthesia-care related, outcomes, 250
Hayden S: future of Certified Registered Nurse Anesthetist practice in South Korea [Rayborn et al.], 361
Health Volunteers Overseas: development, implementation, and evaluation of nurse anesthesia program in Belize, 123
Heber BE: investigation of the anxiolytic and antidepressant effects of eucalyptol in the adult male Sprague-Dawley rat [Ceremuga et al.], 277
Henker R: development, implementation, and evaluation of a nurse anesthesia program in Belize [Hammond et al.], 123
Heuer A: update on guidelines for perioperative antibiotic

selection and administration from the Surgical Care Improvement Project (SCIP) and American Society of Health-System Pharmacists [Heuer et al.], 293
Hewer I: update on guidelines for perioperative antibiotic selection and administration from the Surgical Care Improvement Project (SCIP) and American Society of Health-System Pharmacists [Heuer et al.], 293
Hickey JV: intravenous acetaminophen for perioperative pain control in adult elective neurospine surgical patients [Deng et al.], 181
Hip fractures, 8
Horn SD: intravenous acetaminophen for perioperative pain control in adult elective neurospine surgical patients [Deng et al.], 181
Hospitals: implementation of obstructive sleep apnea screening program at overseas military, 42; policies regarding CRNA attire in the operating room, 410
Hoyem R: anesthesia Medicare trend analysis shows increased utilization of CRNA services [Quraishi et al.], 375
Human embryo editing: yellow light to, 90
Hypotension. *See* Refractory hypotension
Hypothermia: cost-effective alternative to fluid and blood warming system in preventing intraoperative, 28

I

Imus FS: self-efficacy and graduate education in a nurse anesthesia program [Imus et al.], 205
Incivility: for certified registered nurse anesthetists, 261
Infants: treatment of lipocaine overdose with arthrogryposis multiplex congenita in, 357
Infusion system: flow dynamics of peripherally and centrally inserted intravenous catheters using rapid, 250
Injury incidence: randomized, blinded, clinical study of, during endotracheal intubation, 445
Innovations: cost-effective alternative to fluid and blood warming system in preventing intraoperative hypothermia, 28
Instruments: to measure preoperative acute situational anxiety, 31
Integrative reviews: instruments to measure preoperative acute situational anxiety, 31; postoperative cognitive dysfunction after noncardiac and nonneurologic surgery, 10
Interventional protocols: usefulness of cerebral oximetry in preventing postoperative cognitive dysfunction in patients undergoing coronary artery bypass grafting, 49
Intravenous liquid emulsion: overdose of lidocaine in infant with arthrogryposis, 357
Intubation: dental injuries during difficult, 222; other side of difficult airway, 61
Isaacs AP: investigation of the anxiolytic and antidepressant effects of eucalyptol in the adult male Sprague-Dawley rat [Ceremuga et al.], 277

J

Jaruzel CB: instruments to measure preoperative acute situational anxiety [Jaruzel and Gregoski], 31
Jasinski D: hospital policies regarding CRNA attire in the operating room [Annis et al.], 410
Jensen AB: refractory hypotension in a patient with a history of anabolic steroid abuse taking an angiotensin-II receptor blocker [Jensen and Haas], 340
Jeong G: future of Certified Registered Nurse Anesthetist practice in South Korea [Rayborn et al.], 361
Job satisfaction: future of Certified Registered Nurse Anesthetists in South Korea, 361
Johnston S: pain management efficacy study between

continuous and single-administration bupivacaine following lumbar spinal fusion [Tumulak et al.], 91
Jolly ML: investigation of the anxiolytic and antidepressant effects of eucalyptol (1,8-cineole), a compound from eucalyptus, in the adult male Sprague-Dawley rat [Ceremuga et al.], 277
Jordan LM: anesthesia Medicare trend analysis shows increased utilization of CRNA services [Quraishi et al.], 375
Joyce JA: The other side of the difficult airway: a disciplined, evidence-based approach to emergence and extubation, 61

K

Kamal G: inadvertent massive overdose of lidocaine in an infant with arthrogryposis multiplex congenita treated successfully with lipid emulsion [Bathla et al.], 357
Kamath S: simple cost-effective alternative to fluid and blood warming system to prevent intraoperative hypothermia [Chakrabarti et al.], 28
Kane TD: effects of ondansetron on attenuating spinal anesthesia-induced hypotension and bradycardia in obstetric and nonobstetric subjects [Tubog et al.], 113; usefulness of cerebral oximetry in preventing postoperative cognitive dysfunction in patients undergoing coronary artery bypass grafting [Kane and Pugh], 49
Keller ARCS model: social media in nurse anesthesia education and, 10
Kempo S: creation of a low-cost simulated trachea for deliberate practice of cricothyrotomy and retrograde wire use [Muckler et al.], 371
Ketamine: as part of multimodal approach to postoperative pain management, 369
Kinking: ventilatory management during intraoperative airway obstruction due to endotracheal tube, 178
Kossick MA: update on guidelines for perioperative antibiotic selection and administration from the Surgical Care Improvement Project (SCIP) and American Society of Health-System Pharmacists [Heuer et al.], 293
Kumar V: complications after ganglion impar block for chronic cancer pain management [Gupta et al.], 424

L

Laryngeal mask airways: interventions to increase provider monitoring of cuff pressures, 98; in morbidly obese patients undergoing general anesthesia, 130
Laryngoscopy: comparison of GlideScope video and direct for injury incidence during endotracheal intubation, 445
Lean Six Sigma: in initiative to optimize waste streams in the operating room, 108
Lee Y-M: needs assessment for development of the TIME anesthesia handoff tool [Gibney et al.], 431
Leonard B: anesthetic management and intraoperative implications for surgical resection of a recurring primary cardiac rhabdomyosarcoma: a case report [Cushing and Leonardi], 36
Lidocaine: overdose of, in infant with arthrogryposis multiplex congenita, 357; treatment of massive overdose of, 357
Lim D: intravenous dexamethasone for prolonged duration of axillary nerve blockade [Lim and Gold], 189
Lipid emulsion: treatment of lipocaine overdose in infant with arthrogryposis multiplex congenita, 357
Literature review: bilateral tension pneumothoraces during colonoscopy, 171; certified registered nurse anesthetist working conditions and outcomes, 261; implementation of an obstructive sleep apnea screening program at overseas military hospital, 42; instruments to measure preoperative

acute situational anxiety, 31; postoperative cognitive dysfunction after noncardiac and nonneurologic surgery, 17; pulmonary hemorrhage during computed tomography-guided percutaneous lung biopsy, 166; social media in nurse anesthesia, 10; usefulness of cerebral oximetry in preventing postoperative cognitive dysfunction in patients undergoing coronary artery bypass grafting, 49
Local anesthetic toxicity: as potentially life threatening in infants, 357
Lowe JS: high-fidelity simulation study of intraoperative latent hazards and their impact on anesthesia care-related handoff outcomes [Lowe and George-Gay], 250
Lowrance J: social media in nurse anesthesia: a model of a reproducible educational podcast [Andrejco et al.], 10
Lumbar spinal fusion: pain management efficacy study between continuous and single-administration bupivacaine following, 91
Lutz C: development of an online, evidence-based CRNA preceptor training tutorial (CPiTT) [Easton et al.], 331
Lyme disease: anesthesia considerations and, 427

M

Malaria: pathophysiology of bone destruction and, 245
Malignancies: anesthetic management and intraoperative implications for surgical resection of a recurring primary cardiac rhabdomyosarcoma, 36. *See also* Cancer
Malone TB: investigation of the anxiolytic and antidepressant effects of eucalyptol (1,8-cineole), a compound from eucalyptus, in the adult male Sprague-Dawley rat [Ceremuga et al.], 277
Manohar N: airway management in infant with huge hydrocephalus [Manohar et al.], 248; ventilatory management during intraoperative airway obstruction due to endotracheal tube kinking [Deepti et al.], 178
Manometer: cuff pressure monitoring with for endotracheal tube and laryngeal mask airway cuff pressures, 98
Marienau MS: literature searching for practice research [Gerber and Marienau], 195
Martin DM: initiative to optimize waste streams in the operating room: REcycling in the operating room (RECOR) project [Martin et al.], 108
Martin E: propofol disposal in anesthesia setting [Schneider et al.], 417
Masapu D: airway management in infant with huge hydrocephalus [Manohar et al.], 248; simple cost-effective alternative to fluid and blood warming system to prevent intraoperative hypothermia [Chakrabarti et al.], 28
Mason-Nguyen JA: laryngeal mask airway use in morbidly obese patients undergoing general anesthesia [Mason-Nguyen and Rodriguez], 130
Mastectomy: addition of fentanyl to ropivacaine infusion in continuous thoracic paravertebral infusion, 352
Maxillomandibular fixation: anesthesia management and, 469
McClellan CB: investigation of the anxiolytic and antidepressant effects of eucalyptol (1,8-cineole), a compound from eucalyptus, in the adult male Sprague-Dawley rat [Ceremuga et al.], 277
Medicare: anesthesia trend analysis shows increased utilization of Certified Registered Nurse Anesthetists, 375
Meta-analysis: effects of ondansetron on attenuating spinal anesthesia-induced hypotension and bradycardia in obstetric and nonobstetric subjects, 108
Migraine: prevention of, 245
Military hospital: implementation of obstructive sleep apnea program at overseas, 42
Mittal M: inadvertent massive overdose of lidocaine in an

infant with arthrogyriposis multiplex congenita treated successfully with lipid emulsion [Bathla et al.], 357

Modified radical mastectomy: addition of fentanyl to ropivacaine infusion in continuous thoracic paravertebral infusion, 352

Montgomery M: comparison of flow dynamics of peripherally and centrally inserted intravenous catheters using rapid infusion system (ThermaCor 1200) [Wrenn et al.], 256

Morgan B: creation of a low-cost simulated trachea for deliberate practice of cricothyrotomy and retrograde wire use [Muckler et al.], 371; social media in nurse anesthesia: a model of a reproducible educational podcast [Andrejco et al.], 10

Morrison S: development of an online, evidence-based CRNA preceptor training tutorial (CPiTT) [Easton et al.], 331

Morse CY: *AANA Journal* Course: 4: update for nurse anesthetists—an overview of anesthetic management for the brain-dead donor and donor recovery, 385

Motivation: self-efficacy and graduate education in nurse anesthesia, 205

Muckler VC: creation of a low-cost simulated trachea for deliberate practice of cricothyrotomy and retrograde wire use [Muckler et al.], 371; point-of-contact assessment of nurse anesthetists' knowledge and perceptions of management of anesthesia-related critical incidents [Stone et al.], 55

Multimodal analgesia: intravenous acetaminophen for perioperative pain control in adult elective neurospine surgical patients, 181; ketamine as part of, in postoperative pain management, 369

N

Naples JJ: intravenous acetaminophen for perioperative pain control in adult elective neurospine surgical patients: a retrospective case-control study [Deng et al.], 181

Needle cricothyrotomy: low-cost simulated trachea for deliberate practice of, 271

Needs assessment: development of the TIME anesthesia handoff tool, 431

Neurotransmitters: physiology and pharmacology related to acute perioperative pain management and, 300

Nociception: physiology and pharmacology related to acute perioperative pain management and, 300

Norwegian nurse anesthetists: perceptions of professional development and the influence of production pressure, 345

Nurse anesthesia: development, implementation, and evaluation or program in Belize, 123; future of Certified Registered Nurse Anesthetists in South Korea, 361; literature searching for practice research, 195; Norwegian, perceptions of professional development and influence of production pressure, 345; point-of-contact assessment of knowledge and perceptions of management of anesthesia-related critical incidents, 55; self-efficacy and graduate education in, 205; social media in education in, 10. *See also* Anesthesia

O

Oakes JM: review of physiology and pharmacology related to acute perioperative pain management [Dahlen and Oakes], 300

Obese patients: laryngeal mask airways in morbidly, undergoing general anesthesia, 130

Obstetric subjects: epidural anesthesia, in patient with suspected uterine rupture, 136

Obstructive sleep apnea: implementation of screening

program at overseas military hospital, 42

Ocean fauna: bioaccumulation of organic pollutants in, 89

O'Donnell JM: development of an online, evidence-based CRNA preceptor training tutorial (CPiTT) [Easton et al.], 331

Online learning: development on CRNA preceptor training tutorial, 331. *See also* Education

Open access medical information: in nurse anesthesia, 10

Open thoracotomy: pulmonary hemorrhage during computed tomography-guided percutaneous lung biopsy, 166

Operating room: RECOR project in, 108

Opioids: prescriptions for after general surgery, 164

Organic pollutants: bioaccumulation of, in ocean fauna, 89

Organ recovery: anesthetic management for brain-dead donor and, 385

Orthopedic surgery: intravenous dexamethasone for prolonged duration of axillary nerve blockade in, 189

O'Sullivan C: ketamine as part of a multimodal approach to postoperative pain management [Stuit and Sullivan], 369

Outcomes: impact of intraoperative latent hazards on anesthesia-care related handoff, 250

P

Padgett C: social media in nurse anesthesia: a model of a reproducible educational podcast [Andrejco et al.], 10

Pain management: complications after ganglion impar block for chronic cancer, 424; efficacy study between continuous and single-administration bupivacaine following lumbar spinal fusion, 91; intravenous acetaminophen for, in adult elective neurospine surgical patients, 181; intravenous dexamethasone for prolonged duration of axillary nerve blockade in, 189; ketamine as part of multimodal approach to postoperative, 369; physiology and pharmacology related to acute, 300; review of physiology and pharmacology, when related to acute perioperative, 300

Palmer L: development, implementation, and evaluation of a nurse anesthesia program in Belize [Hammond et al.], 123

Pandey R: addition of fentanyl to ropivacaine infusion in continuous thoracic paravertebral infusion [Pushparajan et al.], 352

Park S: future of Certified Registered Nurse Anesthetist practice in South Korea [Rayborn et al.], 361

Patient care: impact of intraoperative latent hazards on, 250; Norwegian nurse anesthetist perceptions of professional development and production pressure, 345; refractory hypotension in patient with history of anabolic steroid abuse taking angiotensin-II receptor blocker, 340

Patient satisfaction: with anesthesia care, 286

Patil N: comparison of flow dynamics of peripherally and centrally inserted intravenous catheters using a rapid infusion system (ThermaCor 1200) [Wrenn et al.], 256

Pediatric sedation: review of potential risks during administration of propofol, 104

Perceptions: Norwegian nurse anesthetists on professional development and production pressure, 345

Perioperative experiences: patient satisfaction with anesthesia care and, 286

Peripherally inserted intravenous catheter: flow dynamics of, 250

Phantom pain: reducing, 246

Pharmacology: acute perioperative pain management and, 300

Pharyngolaryngeal complications: interventions to increase provider monitoring of endotracheal tube and laryngeal mask airway cuff pressures, 98

Physiology: acute perioperative pain management and, 300

Pilot studies: self-efficacy and graduate education in nurse anesthesia, 205

Podcasts: social media in nurse anesthesia education, 10

- Poghosyan L: certified registered nurse anesthetist working conditions and outcomes [Boyd and Poghosyan], 261
- Ponto J: propofol disposal in anesthesia setting [Schneider et al.], 417
- Postoperative cognitive dysfunction: after noncardiac and nonneurologic surgery, 10; usefulness of cerebral oximetry in preventing, in patients undergoing coronary artery bypass grafting, 49
- Postoperative pain: ketamine as part of multimodal approach, 369; pain management efficacy study between continuous and single-administration bupivacine following lumbar spinal fusion, 91
- Preceptorship: in clinical education, 331
- Predicted staffing: workforce initiative for current predictors of CRNA employment in Florida, 217
- Pregnancy: vitamin D treatment during in preventing autism-related phenotypes, 165
- Preoperative period: instruments to measure acute situational anxiety in, 31
- Production pressure: Norwegian nurse anesthetist perceptions of professional development and, 345
- Professional development: Norwegian nurse anesthetist perceptions of, 345
- Propofol: disposal in anesthesia setting, 417; potential risks during administration, 104
- Propofol infusion syndrome: risk during administration in pediatric sedation, 104
- Psychometric testing: patient satisfaction with anesthesia care and, 286
- Pugh MA: effects of ondansetron on attenuating spinal anesthesia-induced hypotension and bradycardia in obstetric and nonobstetric subjects [Tubog et al.], 113; usefulness of cerebral oximetry in preventing postoperative dysfunction in patients undergoing coronary artery bypass grafting [Kane and Pugh], 49
- Pulmonary hemorrhage: during computed tomography-guided percutaneous lung biopsy, 166
- Punj J: addition of fentanyl to ropivacine infusion in continuous thoracic paravertebral infusion [Pushparajan et al.], 352
- Pushparajan HK: addition of fentanyl to ropivacine infusion in continuous thoracic paravertebral infusion [Pushparajan et al.], 352
- ## Q
- Quality improvement: development of online, evidence-based CRNA preceptor training tutorial, 331
- Quraishi JA: anesthesia Medicare trend analysis shows increased utilization of CRNA services [Quraishi et al.], 375
- ## R
- Radiology: anesthetic implications of superior vena cava syndrome in interventional, 453
- Ramesh VJ: ventilatory management during intraoperative airway obstruction due to endotracheal tube kinking [Deepti et al.], 178
- Randomized, blinded, clinical study: of injury incidence during endotracheal intubation, 445
- Randomized control trial: addition of fentanyl to ropivacine infusion in continuous thoracic paravertebral infusion, 352
- Rayborn M: future of Certified Registered Nurse Anesthetist practice in South Korea [Rayborn et al.], 361
- RECOR (REcycling in the operating room project), 108
- Recycled materials: RECOR project in the operating room, 108
- Refractory hypotension: in patient with history of anabolic steroid abuse, 340
- Reimbursement: anesthesia Medicare trend analysis showing increased utilization of CRNA services, 375
- Renahan K: hospital policies regarded CRNA attire in the operating room [Annis et al.], 410
- Renin-angiotensin-aldosterone system (RAAS): in blood pressure regulation, 340
- Retrograde wire use: low-cost simulated trachea for deliberate practice of, 271
- Retrospective studies: intravenous acetaminophen for perioperative pain control in adult elective neurospine surgical patients, 181
- Rhabdomyosarcoma: anesthetic management and intraoperative implications for surgical resection of a recurring primary cardiac, 36
- Ridgway B: hospital policies regarded CRNA attire in the operating room [Annis et al.], 410
- Riley J: update on guidelines for perioperative antibiotic selection and administration from the Surgical Care Improvement Project (SCIP) and American Society of Health-System Pharmacists [Heuer et al.], 293
- Rodriguez RE: laryngeal mask airway use in morbidly obese patients undergoing general anesthesia [Mason-Nguyen and Rodriguez], 130
- Ropivacine infusion: addition of fentanyl to, in continuous thoracic paravertebral infusion, 352
- Rutledge DN: patient satisfaction with anesthesia care: what do we know? [Falco et al.], 286
- ## S
- Sacral chordoma: ketamine as part of multimodal approach to postoperative pain management, 369
- Saini S: complications after ganglion impar block for chronic cancer pain management [Gupta et al.], 424
- Schaaf JL: investigation of the anxiolytic and antidepressant effects of eucalyptol in the adult male Sprague-Dawley rat [Ceremuga et al.], 277
- Schirle L: workforce initiative for current predictors of CRNA employment in the state of Florida [Wunder et al.], 217
- Schloss B: pulmonary hemorrhage during computed tomography-guided percutaneous lung biopsy [Staker et al.], 166
- Schneider D: propofol disposal in anesthesia setting [Schneider et al.], 417
- Scholtis MP: randomized, blind, clinical study of injury incidence during endotracheal intubation [Scholtis et al.], 445
- Screening: implementation of obstructive sleep apnea program at overseas military hospital, 42
- Sedation: review of potential risks during administration of propofol in pediatrics, 104
- Self-efficacy: graduate education and, in nurse anesthesia, 205; wellness and thriving in student population, 325
- Simulation: high-fidelity, study of intraoperative latent hazards and impact on anesthesia care-related handoff outcomes, 250; low-cost trachea for deliberate practice of cricothyrotomy and retrograde wire use, 271
- Situational anxiety: instruments to measure preoperative acute, 31
- Smit T: Lyme disease and anesthesia considerations, 427
- Smoking: mutational signatures associated with, in human cancer, 8
- Smout RJ: intravenous acetaminophen for perioperative pain control in adult elective neurospine surgical patients: a retrospective case-control study [Deng et al.], 181
- Soccer players: chronic traumatic encephalopathy in ex pro, 164
- Social media: in nurse anesthesia education, 10

- South Korea: future of Certified Registered Nurse Anesthetist practice in, 361
- Spence D: implementation of an obstructive sleep apnea screening program at overseas military hospital [Williams et al.], 42
- Spinal anesthesia-induced hypotension: effects of ondansetron on, in obstetric and nonobstetric subjects, 108
- Spine surgery: intravenous acetaminophen for perioperative pain control in adult elective neurospine, 181
- Sprague-Dawley rat: effects of eucalyptol in adult male, 277
- Srivastava A: addition of fentanyl to ropivacaine infusion in continuous thoracic paravertebral infusion [Pushparajan et al.], 352
- Staker K: pulmonary hemorrhage during computed tomography-guided percutaneous lung biopsy: a case report and review of the literature [Staker et al.], 166
- Stanton MP: implementation of an obstructive sleep apnea screening program at overseas military hospital [Williams et al.], 42
- Statins: for primary prevention of CV disease in adults, 89
- Stein KM: maxillomandibular fixation and anesthesia management [Stein and Titler], 469; review of dental anatomy and dental injury associated with anesthesia [Stein and Aker], 222
- Stone L: point-of-contact assessment of nurse anesthetists' knowledge and perceptions of management of anesthesia-related critical incidents [Stone et al.], 55
- STOP-BANG Questionnaire: implementation of obstructive sleep apnea program at overseas military hospital, 42
- Stoudt RS: randomized, blind, clinical study of injury incidence during endotracheal intubation [Scholtis et al.], 445
- Stress management: point-of-contact assessment of nurse anesthetists' knowledge and perceptions of management of anesthesia-related critical incidents, 55
- Student registered nurse anesthetists: creation of wellness program for, 325; development on online, evidence-based CRNA preceptor training tutorial, 331; transfer of patient care and patient safety skills to, 331
- Stuit D: ketamine as part of a multimodal approach to postoperative pain management [Stuit and Sullivan], 369
- Subcutaneous emphysema: bilateral tension pneumothoraces during colonoscopy, 171
- Superior vena cava syndrome: anesthetic implications of, in interventional radiology, 453
- Surgery: anesthetic management and intraoperative implications for, of a recurring primary cardiac rhabdomyosarcoma, 36; guidelines for perioperative antibiotics selection and administration, 293; postoperative cognitive dysfunction after noncardiac and nonneurologic, 10; prescriptions for opioids after, 164
- Systematic review: effects of ondansetron on attenuating spinal anesthesia-induced hypotension and bradycardia in obstetric and nonobstetric subjects, 108
- T**
-
- Tension pneumothoraces: bilateral, during colonoscopy, 171
- Tharpe S: comparison of flow dynamics of peripherally and centrally inserted intravenous catheters using a rapid infusion system (ThermaCor 1200) [Wrenn et al.], 256
- Thriving: in student population, 325
- Tibetans: physiology of, 164
- TIME anesthesia handoff tool: needs assessment of, XXXF
- Titler S: maxillomandibular fixation and anesthesia management [Stein and Titler], 469
- Tobias JD: pulmonary hemorrhage during computed tomography-guided percutaneous lung biopsy: a case report and review of the literature [Staker et al.], 166
- Tracey A: perceptions of CRNA on factors affecting their transition from student, 438
- Trachea: low-cost simulated, for deliberate practice of cricothyrotomy and retrograde wire use, 271
- Treatment algorithms: pulmonary hemorrhage during computed photomicrography percutaneous lung biopsy, 166
- Treggiari MM: initiative to optimize waste streams in the operating room: RECYCLING in the operating room (RECOR) project [Martin et al.], 108
- Trend analysis: anesthesia Medicare showing increased utilization of Certified Registered Nurse Anesthetists, 375
- Truax-Waits SD: epidural anesthesia in patient with suspected uterine rupture, 136
- Tsumara H: bilateral tension pneumothoraces during colonoscopy, 171
- Tuberculosis (TB): breakthrough against drug-resistant, 89
- Tubog TD: effects of ondansetron on attenuating spinal anesthesia-induced hypotension and bradycardia in obstetric and nonobstetric subjects [Tumulak et al.], 113
- Tumulak J: pain management efficacy study between continuous and single-administration bupivacaine following lumbar spinal fusion [Tumulak et al.], 91
- Tyrey S: point-of-contact assessment of nurse anesthetists' knowledge and perceptions of management of anesthesia-related critical incidents [Stone et al.], 55
- U**
-
- Ultrasound-guided right internal jugular catheterization: need for chest radiography after, 165
- Uterine rupture: epidural anesthesia, in patient with suspected, 136
- V**
-
- Vacchiano CA: point-of-contact assessment of nurse anesthetists' knowledge and perceptions of management of anesthesia-related critical incidents [Stone et al.], 55
- Valdes JA: workforce initiative for current predictors of CRNA employment in the state of Florida [Wunder et al.], 217
- Ventilatory management: during intraoperative airway obstruction due to endotracheal tube kinking, 178
- Vitamin D treatment: during pregnancy in preventing autism-related phenotypes, 165
- W**
-
- Waste streams: initiative to optimize, in the operating room, 108
- Water: drinking, 8
- Weglarz DM: self-efficacy and graduate education in a nurse anesthesia program: A pilot study [Imus et al.], 205
- Wellness: American Association of Nurse Anesthetists creation of program for, 325; in student population, 325
- Williams M: implementation of an obstructive sleep apnea screening program at overseas military hospital [Williams et al.], 42
- Williams R: implementation of an obstructive sleep apnea screening program at overseas military hospital [Williams et al.], 42
- Woerschling J: postoperative cognitive dysfunction after noncardiac and nonneurologic surgery: an integrative review, 10
- Wohlens R: comparison of flow dynamics of peripherally and centrally inserted intravenous catheters using a rapid infusion system (ThermaCor 1200) [Wrenn et al.], 256

Workforce initiative: for predictors of CRNA employment in Florida, 217
Working conditions: for certified registered nurse anesthetists, 261
Workplace aggression: for certified registered nurse anesthetists, 261
Wrenn EA: comparison of flow dynamics of peripherally and centrally inserted intravenous catheters using a rapid infusion system (ThermaCor 1200) [Wrenn et al.], 256

Wunder LL: workforce initiative for current predictors of CRNA employment in the state of Florida [Wunder et al.], 217

Y

Yancey V: wellness and thriving in a student registered nurse anesthetist population [Grinnin et al.], 325
Yanez ND: initiative to optimize waste streams in the operating room: RECYcling in the operating room (RECOR) project [Martin et al.], 108