















































































36. The American College of Obstetricians and Gynecologists. Committee Opinion Number 664. Refusal of Medically Recommended Treatment during Pregnancy. <http://www.acog.org/Resources-And-Publications/Committee-Opinions/Committee-on-Ethics/Refusal-of-Medically-Recommended-Treatment-During-Pregnancy>. Accessed June 20, 2016.
37. Reitman E, Flood P. Anaesthetic considerations for non-obstetric surgery during pregnancy. *BJA: British Journal of Anaesthesia*. 2011;107(suppl\_1):i72-i78.
38. Nejdlova M, Johnson T. Anaesthesia for non-obstetric procedures during pregnancy. *Continuing Education in Anaesthesia Critical Care & Pain*. 2012;12(4):203-206.
39. Heesen M, Klimek M. Nonobstetric anesthesia during pregnancy. *Curr. Opin. Anaesthesiol.* Jun 2016;29(3):297-303.
40. Committee on Obstetric P, the American Society of A. Committee Opinion No. 696: Nonobstetric Surgery During Pregnancy. *Obstet. Gynecol.* Apr 2017;129(4):777-778.
41. Orejuela FJ, Garcia T, Green C, Kilpatrick C, Guzman S, Blackwell S. Exploring factors influencing patient request for epidural analgesia on admission to labor and delivery in a predominantly Latino population. *J. Immigr. Minor. Health*. Apr 2012;14(2):287-291.
42. Infection Prevention and Control Guidelines for Anesthesia Care. Park Ridge, IL: American Association of Nurse Anesthesiology; 2015.
43. Safe Injection Guidelines for Needle and Syringe Use. Park Ridge, IL: American Association of Nurse Anesthesiology; 2014.
44. Practice ACoO. ACOG committee opinion No. 433: optimal goals for anesthesia care in obstetrics. *Obstet. Gynecol.* May 2009;113(5):1197-1199.
45. Osborne L. Obstetric Anesthesia. Nurse Anesthesia. 4 ed: Saunders Elsevier; 2010.
46. Chestnut DH, Wong CA, Tsen LC, Ngan Kee WD, Beilin Y, Mhyre J. Chestnut's Obstetric Anesthesia: Principles and Practice. 5th ed. Philadelphia, PA: Elsevier Saunders.
47. Dyer RA, Reed AR, James MF. Obstetric anaesthesia in low-resource settings. *Best Pract. Res. Clin. Obstet. Gynaecol.* Jun 2010;24(3):401-412.
48. Malignant Hyperthermia Crisis Preparedness and Treatment. Park Ridge, IL: American Association of Nurse Anesthesiology; 2015.
49. Anim-Somuah M, Smyth RM, Jones L. Epidural versus non-epidural or no analgesia in labour. *Cochrane Database Syst. Rev.* Dec 07 2011(12):CD000331.
50. Brown ST, Douglas C, Flood LP. Women's Evaluation of Intrapartum Nonpharmacological Pain Relief Methods Used during Labor. *The Journal of perinatal education*. Summer 2001;10(3):1-8.
51. Habanananda T. Non-pharmacological pain relief in labour. *J. Med. Assoc. Thai*. Oct 2004;87 Suppl 3:S194-202.
52. Burgos J, Cobos P, Osuna C, et al. Nitrous oxide for analgesia in external cephalic version at term: prospective comparative study. *J. Perinat. Med.* Nov 2013;41(6):719-723.
53. Collins MR, Starr SA, Bishop JT, Baysinger CL. Nitrous oxide for labor analgesia: expanding analgesic options for women in the United States. *Rev. Obstet. Gynecol.* 2012;5(3-4):e126-131.

54. Klomp T, van Poppel M, Jones L, Lazet J, Di Nisio M, Lagro-Janssen AL. Inhaled analgesia for pain management in labour. *Cochrane Database Syst. Rev.* Sep 12 2012(9):CD009351.
55. Bucklin BA, Chestnut DH, Hawkins JL. Intrathecal opioids versus epidural local anesthetics for labor analgesia: a meta-analysis. *Reg Anesth Pain Med.* Jan-Feb 2002;27(1):23-30.
56. Silva M, Halpern SH. Epidural analgesia for labor: Current techniques. *Local and regional anesthesia.* 2010;3:143-153.
57. Leffert LR, Schwamm LH. Neuraxial anesthesia in parturients with intracranial pathology: a comprehensive review and reassessment of risk. *Anesthesiology.* Sep 2013;119(3):703-718.
58. Osborne L, Snyder M, Vilecco D, Jacob A, Pyle S, Crum-Cianflone N. Evidence-based anesthesia: fever of unknown origin in parturients and neuraxial anesthesia. *AANA J.* Jun 2008;76(3):221-226.
59. van Veen JJ, Nokes TJ, Makris M. The risk of spinal haematoma following neuraxial anaesthesia or lumbar puncture in thrombocytopenic individuals. *Br. J. Haematol.* Jan 2010;148(1):15-25.
60. Horlocker TT, Heit JA, Wedel DJ, Enneking FK, Rowlingson JC. Safe epidural catheter removal in the patient receiving warfarin: does anybody really know what (prothrombin) time it is? *Anesthesiology.* Sep 2010;113(3):759-761; author reply 761.
61. Horlocker TT, Wedel DJ, Rowlingson JC, et al. Regional anesthesia in the patient receiving antithrombotic or thrombolytic therapy: American Society of Regional Anesthesia and Pain Medicine Evidence-Based Guidelines (Third Edition). *Reg. Anesth. Pain Med.* Jan-Feb 2010;35(1):64-101.
62. Collins J, Bowles L, MacCallum PK. Prevention and management of venous thromboembolism in pregnancy. *Br. J. Hosp. Med.* Dec 02 2016;77(12):C194-C200.
63. Membership of the Working P, Harrop-Griffiths W, Cook T, et al. Regional anaesthesia and patients with abnormalities of coagulation. *Anaesthesia.* 2013;68(9):966-972.
64. Collins P, Abdul-Kadir R, Thachil J, Subcommittees on Women's Health Issues in T, Haemostasis, on Disseminated Intravascular C. Management of coagulopathy associated with postpartum hemorrhage: guidance from the SSC of the ISTH. *J. Thromb. Haemost.* Jan 2016;14(1):205-210.
65. Narouze S, Benzon HT, Provenzano DA, et al. Interventional spine and pain procedures in patients on antiplatelet and anticoagulant medications: guidelines from the American Society of Regional Anesthesia and Pain Medicine, the European Society of Regional Anaesthesia and Pain Therapy, the American Academy of Pain Medicine, the International Neuromodulation Society, the North American Neuromodulation Society, and the World Institute of Pain. *Reg. Anesth. Pain Med.* May-Jun 2015;40(3):182-212.
66. Han IS, Chung EY, Hahn YJ. Spinal epidural hematoma after epidural anesthesia in a patient receiving enoxaparin -A case report. *Korean journal of anesthesiology.* Aug 2010;59(2):119-122.
67. American College of O, Gynecologists. ACOG committee opinion no. 559: Cesarean delivery on maternal request. *Obstet. Gynecol.* Apr 2013;121(4):904-907.

68. Chau A, Bibbo C, Huang CC, et al. Dural Puncture Epidural Technique Improves Labor Analgesia Quality With Fewer Side Effects Compared With Epidural and Combined Spinal Epidural Techniques: A Randomized Clinical Trial. *Anesth. Analg.* Feb 2017;124(2):560-569.
69. Ghosh S, Marton S. Anesthetic management for cesarean delivery in a patient with severe aortic stenosis and severe obesity. *Obes. Surg.* Feb 2011;21(2):264-266.
70. Ghosh SM, Madjdpour C, Chin KJ. Ultrasound-guided lumbar central neuraxial block. *BJA Education.* 2016;16(7):213-220.
71. Zinn J, Jenkins J, Swofford V, Harrelson B, McCarter S. Intraoperative Patient Skin Prep Agents: Is There a Difference? *AORN Journal.* 2010;92(6):662-674.
72. Digison MB. A review of anti-septic agents for pre-operative skin preparation. *Plast. Surg. Nurs.* Oct-Dec 2007;27(4):185-189; quiz 190-181.
73. Balki M. Locating the epidural space in obstetric patients-ultrasound a useful tool: continuing professional development. *Can. J. Anaesth.* Dec 2010;57(12):1111-1126.
74. Balki M, Lee Y, Halpern S, Carvalho JC. Ultrasound imaging of the lumbar spine in the transverse plane: the correlation between estimated and actual depth to the epidural space in obese parturients. *Anesth. Analg.* Jun 2009;108(6):1876-1881.
75. Carvalho JC. Ultrasound-facilitated epidurals and spinals in obstetrics. *Anesthesiol. Clin.* Mar 2008;26(1):145-158, vii-viii.
76. Neal JM, Brull R, Horn JL, et al. The Second American Society of Regional Anesthesia and Pain Medicine Evidence-Based Medicine Assessment of Ultrasound-Guided Regional Anesthesia: Executive Summary. *Reg. Anesth. Pain Med.* Mar-Apr 2016;41(2):181-194.
77. Perlas A, Chaparro LE, Chin KJ. Lumbar Neuraxial Ultrasound for Spinal and Epidural Anesthesia: A Systematic Review and Meta-Analysis. *Reg. Anesth. Pain Med.* Mar-Apr 2016;41(2):251-260.
78. Oh AY, Hwang JW, Song IA, et al. Influence of the timing of administration of crystalloid on maternal hypotension during spinal anesthesia for cesarean delivery: preload versus coload. *BMC Anesthesiol.* 2014;14:36.
79. Galindo Gualdrón LA. Test dose in regional anesthesia. *Colombian Journal of Anesthesiology.* 2014/01/01/ 2014;42(1):47-52.
80. Guay J. The epidural test dose: a review. *Anesth. Analg.* Mar 2006;102(3):921-929.
81. International Anesthesia Research Society. Epidural test dose: Sx. [https://www.openanesthesia.org/epidural\\_test\\_dose\\_sx/](https://www.openanesthesia.org/epidural_test_dose_sx/). Accessed August 24, 2017.
82. Guinard JP, Mulroy MF, Carpenter RL, Knopes KD. Test doses: optimal epinephrine content with and without acute beta-adrenergic blockade. *Anesthesiology.* Sep 1990;73(3):386-392.
83. Richardson MG, Lee AC, Wissler RN. High spinal anesthesia after epidural test dose administration in five obstetric patients. *Reg. Anesth.* Mar-Apr 1996;21(2):119-123.
84. Cohen MW, R.; Moss J. Patient-Controlled Analgesia: Making it Safer for Patients. <http://www.ismp.org/CE/Default.asp>. Accessed April 10, 2016.
85. Grissinger M. Safety and patient-controlled analgesia: part 2: how to prevent errors. *P T.* Jan 2008;33(1):8-9.

86. Commission TJ. *Patient Controlled Analgesia by Proxy*. December 20, 2004 2004.
87. American Society of Regional Anesthesia and Pain Management. Checklist for Treatment of Local Anesthetic Systemic Toxicity. 2011; [https://www.asra.com/content/documents/asra\\_last\\_checklist.2011.pdf](https://www.asra.com/content/documents/asra_last_checklist.2011.pdf). Accessed August 24, 2017.
88. Care of Patients Receiving Analgesia by Catheter Techniques. Park Ridge, IL: American Association of Nurse Anesthetists; 2017.
89. Ankichetty SP, Chin KJ, Chan VW, et al. Regional anesthesia in patients with pregnancy induced hypertension. *J Anaesthesiol Clin Pharmacol*. Oct 2013;29(4):435-444.
90. Pellegrini JE, Toledo P, Soper DE, et al. Consensus Bundle on Prevention of Surgical Site Infections After Major Gynecologic Surgery. *AANA J*. Feb 06 2017;85(1):1-12.
91. Lamont RF, Sobel JD, Kusanovic JP, et al. Current debate on the use of antibiotic prophylaxis for caesarean section. *BJOG*. Jan 2011;118(2):193-201.
92. Chemsian R, Bhananker S, Ramaiah R. Videolaryngoscopy. *International journal of critical illness and injury science*. Jan 2014;4(1):35-41.
93. Butwick AJ, Coleman L, Cohen SE, Riley ET, Carvalho B. Minimum effective bolus dose of oxytocin during elective Caesarean delivery. *Br. J. Anaesth*. Mar 2010;104(3):338-343.
94. Kulo A, van Calsteren K, Verbesselt R, et al. The impact of Caesarean delivery on paracetamol and ketorolac pharmacokinetics: a paired analysis. *J Biomed Biotechnol*. 2012;2012:437639.
95. Bauchat JR, Higgins N, Wojciechowski KG, McCarthy RJ, Toledo P, Wong CA. Low-dose ketamine with multimodal postcesarean delivery analgesia: a randomized controlled trial. *Int. J. Obstet. Anesth*. Jan 2011;20(1):3-9.
96. Lavand'homme P. Postcesarean analgesia: effective strategies and association with chronic pain. *Curr. Opin. Anaesthesiol*. Jun 2006;19(3):244-248.
97. Landau R, Bollag L, Ortner C. Chronic pain after childbirth. *Int J Obstet Anesth*. Apr 2013;22(2):133-145.
98. Eisenach JC, Pan PH, Smiley R, Lavand'homme P, Landau R, Houle TT. Severity of acute pain after childbirth, but not type of delivery, predicts persistent pain and postpartum depression. *Pain*. Nov 15 2008;140(1):87-94.
99. Joshi GP. Multimodal analgesia techniques and postoperative rehabilitation. *Anesthesiol Clin North America*. Mar 2005;23(1):185-202.
100. Pan PH. Post cesarean delivery pain management: multimodal approach. *Int. J. Obstet. Anesth*. Jul 2006;15(3):185-188.
101. Duale C, Frey C, Bolandard F, Barriere A, Schoeffler P. Epidural versus intrathecal morphine for postoperative analgesia after Caesarean section. *Br J Anaesth*. Nov 2003;91(5):690-694.
102. Dominguez JE, Habib AS. Prophylaxis and treatment of the side-effects of neuraxial morphine analgesia following cesarean delivery. *Curr. Opin. Anaesthesiol*. Jun 2013;26(3):288-295.
103. Sen S, Ozmert G, Aydin ON, Baran N, Caliskan E. The persisting analgesic effect of low-dose intravenous ketamine after spinal anaesthesia for caesarean section. *Eur J Anaesthesiol*. Jul 2005;22(7):518-523.

104. Menkiti ID, Desalu I, Kushimo OT. Low-dose intravenous ketamine improves postoperative analgesia after caesarean delivery with spinal bupivacaine in African parturients. *Int. J. Obstet. Anesth.* Jul 2012;21(3):217-221.
105. McNicol ED, Schumann R, Haroutounian S. A systematic review and meta-analysis of ketamine for the prevention of persistent post-surgical pain. *Acta Anaesthesiol Scand.* Nov 2014;58(10):1199-1213.
106. Moore A, Costello J, Wieczorek P, Shah V, Taddio A, Carvalho JC. Gabapentin improves postcesarean delivery pain management: a randomized, placebo-controlled trial. *Anesth Analg.* Jan 2011;112(1):167-173.
107. Mishriky BM, George RB, Habib AS. Transversus abdominis plane block for analgesia after Cesarean delivery: a systematic review and meta-analysis. *Can J Anaesth.* Aug 2012;59(8):766-778.
108. Enhanced Recovery After Surgery. American Association of Nurse Anesthesiology; 2017.
109. Wong JY, Carvalho B, Riley ET. Intrathecal morphine 100 and 200 mug for post-cesarean delivery analgesia: a trade-off between analgesic efficacy and side effects. *International journal of obstetric anesthesia.* Jan 2013;22(1):36-41.
110. Herman NL, Choi KC, Affleck PJ, et al. Analgesia, pruritus, and ventilation exhibit a dose-response relationship in parturients receiving intrathecal fentanyl during labor. *Anesth Analg.* Aug 1999;89(2):378-383.
111. Rauch E. Intrathecal hydromorphone for postoperative analgesia after cesarean delivery: a retrospective study. *AANA J.* Aug 2012;80(4 Suppl):S25-32.
112. Chestnut DH, Wong CA, Tsen LC, Ngan Kee WD, Beilin Y, Mhyre J. *Chestnut's Obstetric Anesthesia: Principles and Practice.* 5th ed. Philadelphia, PA: Elsevier Saunders.
113. Macario A, Lipman AG. Ketorolac in the era of cyclo-oxygenase-2 selective nonsteroidal anti-inflammatory drugs: a systematic review of efficacy, side effects, and regulatory issues. *Pain Med.* Dec 2001;2(4):336-351.
114. American Academy of Pediatrics Committee on Drugs. Transfer of drugs and other chemicals into human milk. *Pediatrics.* Sep 2001;108(3):776-789.
115. Jakobi P, Solt I, Tamir A, Zimmer EZ. Over-the-counter oral analgesia for postcesarean pain. *Am J Obstet Gynecol.* Oct 2002;187(4):1066-1069.
116. Koh W, Nguyen KP, Jahr JS. Intravenous non-opioid analgesia for peri- and postoperative pain management: a scientific review of intravenous acetaminophen and ibuprofen. *Korean journal of anesthesiology.* Feb 2015;68(1):3-12.
117. Alhashemi JA, Alotaibi QA, Mashaat MS, Kaid TM, Mujallid RH, Kaki AM. Intravenous acetaminophen vs oral ibuprofen in combination with morphine PCIA after Cesarean delivery. *Can. J. Anaesth.* Dec 2006;53(12):1200-1206.
118. Waldron NH, Jones CA, Gan TJ, Allen TK, Habib AS. Impact of perioperative dexamethasone on postoperative analgesia and side-effects: systematic review and meta-analysis. *Br J Anaesth.* Feb 2013;110(2):191-200.
119. Scharine JD. Bilateral transversus abdominis plane nerve blocks for analgesia following cesarean delivery: report of 2 cases. *AANA J.* Apr 2009;77(2):98-102.
120. Urigel S, Molter J. Transversus abdominis plane (TAP) blocks. *AANA J.* Feb 2014;82(1):73-79.



121. Abdel-Aleem H, Abdel-Aleem MA, Shaaban OM. Nitroglycerin for management of retained placenta. *Cochrane Database Syst. Rev.* Nov 12 2015(11):CD007708.
122. Ekerhovd E, Bullarbo M. Sublingual nitroglycerin seems to be effective in the management of retained placenta. *Acta Obstet. Gynecol. Scand.* 2008;87(2):222-225.
123. Cyna AM, Andrew M, Emmett RS, Middleton P, Simmons SW. Techniques for preventing hypotension during spinal anaesthesia for caesarean section. *Cochrane Database Syst. Rev.* Oct 18 2006(4):CD002251.
124. Lee SWY, Khaw KS, Ngan Kee WD, Leung TY, Critchley LAH. Haemodynamic effects from aortocaval compression at different angles of lateral tilt in non-labouring term pregnant women†‡. *BJA: British Journal of Anaesthesia.* 2012;109(6):950-956.
125. Waxler B, Dadabhoy ZP, Stojiljkovic L, Rabito SF. Primer of postoperative pruritus for anesthesiologists. *Anesthesiology.* Jul 2005;103(1):168-178.
126. Ko MC. Neuraxial opioid-induced itch and its pharmacological antagonism. *Handb. Exp. Pharmacol.* 2015;226:315-335.
127. Koju RB, Gurung BS, Dongol Y. Prophylactic administration of ondansetron in prevention of intrathecal morphine-induced pruritus and post-operative nausea and vomiting in patients undergoing caesarean section. *BMC anesthesiology.* Feb 17 2015;15:18.
128. Kalani N, Zabetian H, Sanie MS, et al. The Effect of Ondansetron and Dexamethasone on Nausea and Vomiting under Spinal Anesthesia. *World Journal of Plastic Surgery.* 2017;6(1):88-93.
129. Mishriky BM, Habib AS. Metoclopramide for nausea and vomiting prophylaxis during and after Caesarean delivery: a systematic review and meta-analysis. *Br. J. Anaesth.* Mar 2012;108(3):374-383.
130. Kaddoum R, Motlani F, Kaddoum RN, Srirajakalidindi A, Gupta D, Soskin V. Accidental dural puncture, postdural puncture headache, intrathecal catheters, and epidural blood patch: revisiting the old nemesis. *Journal of anesthesia.* Aug 2014;28(4):628-630.
131. Apfel CC, Saxena A, Cakmakkaya OS, Gaiser R, George E, Radke O. Prevention of postdural puncture headache after accidental dural puncture: a quantitative systematic review. *Br. J. Anaesth.* Sep 2010;105(3):255-263.
132. Heesen M, Klohr S, Rossaint R, Walters M, Straube S, van de Velde M. Insertion of an intrathecal catheter following accidental dural puncture: a meta-analysis. *Int. J. Obstet. Anesth.* Jan 2013;22(1):26-30.
133. Suescun H, Austin P, Gabaldon D. Nonpharmacologic Neuraxial Interventions for Prophylaxis of Postdural Puncture Headache in the Obstetric Patient. *AANA J.* Feb 2016;84(1):15-22.
134. Stuart JC, Kan AF, Rowbottom SJ, Yau G, Gin T. Acid aspiration prophylaxis for emergency Caesarean section. *Anaesthesia.* May 1996;51(5):415-421.
135. American College of O, Gynecologists Committee on Patient S, Quality I. Committee opinion no. 590: preparing for clinical emergencies in obstetrics and gynecology. *Obstet. Gynecol.* Mar 2014;123(3):722-725.
136. Emergency Manuals Implementation Collaborative (EMIC).  
<http://www.emergencymanuals.org/>.

137. D'Angelo R, Smiley RM, Riley ET, Segal S. Serious complications related to obstetric anesthesia: the serious complication repository project of the Society for Obstetric Anesthesia and Perinatology. *Anesthesiology*. Jun 2014;120(6):1505-1512.
138. Clark EA, Fisher J, Arafeh J, Druzin M. Team training/simulation. *Clin. Obstet. Gynecol.* Mar 2010;53(1):265-277.
139. Balki M, Cooke ME, Dunnington S, Salman A, Goldszmidt E. Unanticipated difficult airway in obstetric patients: development of a new algorithm for formative assessment in high-fidelity simulation. *Anesthesiology*. Oct 2012;117(4):883-897.
140. Thompson S, Neal S, Clark V. Clinical risk management in obstetrics: eclampsia drills. *Qual. Saf. Health Care*. Apr 2004;13(2):127-129.
141. Winters BD, Gurses AP, Lehmann H, Sexton JB, Rampersad CJ, Pronovost PJ. Clinical review: checklists - translating evidence into practice. *Crit. Care*. 2009;13(6):210.
142. Lipman S, Cohen S, Einav S, et al. The Society for Obstetric Anesthesia and Perinatology consensus statement on the management of cardiac arrest in pregnancy. *Anesth. Analg.* May 2014;118(5):1003-1016.
143. Al Kadri HM. Obstetric medical emergency teams are a step forward in maternal safety! *J. Emerg. Trauma Shock*. Oct 2010;3(4):337-341.
144. Clements CJ, Flohr-Rincon S, Bombard AT, Catanzarite V. OB team stat: rapid response to obstetrical emergencies. *Nurs. Womens Health*. Apr 2007;11(2):194-199.
145. Thomas JA, Hagberg CA. The Difficult Airway: Risks, Prophylaxis, and Management. In: Chestnut DH, Polley LS, Tsen LC, Wong CA, eds. *Chestnut's Obstetric Anesthesia: Principles and Practice*. 4th ed. Philadelphia, PA: Mosby Elsevier; 2009:651-676.
146. Apfelbaum JL, Hagberg CA, Caplan RA, et al. Practice guidelines for management of the difficult airway: an updated report by the American Society of Anesthesiologists Task Force on Management of the Difficult Airway. *Anesthesiology*. Feb 2013;118(2):251-270.
147. American Congress of Obstetricians and Gynecologists. Severe Hypertension Bundle. <http://www.acog.org/About-ACOG/ACOG-Districts/District-II/SMI-Severe-Hypertension>. Accessed May 5, 2015.
148. Dennis AT. Management of pre-eclampsia: issues for anaesthetists. *Anaesthesia*. Sep 2012;67(9):1009-1020.
149. del-Rio-Vellosillo M, Garcia-Medina JJ. Anesthetic considerations in HELLP syndrome. *Acta Anaesthesiol. Scand*. Feb 2016;60(2):144-157.
150. Polley LS. Hypertensive Disorders. In: Chestnut DH, Polley LS, Tsen LC, Wong CA, eds. *Chestnut's Obstetric Anesthesia: Principles and Practice*. 4th ed. Philadelphia, PA: Mosby Elsevier; 2009:975-1007.
151. ACOG Committee on Obstetric Practice. Committee Opinion No. 623: Emergent therapy for acute-onset, severe hypertension during pregnancy and the postpartum period. *Obstet. Gynecol.* Feb 2015;125(2):521-525.
152. Alexander JM, Wilson KL. Hypertensive emergencies of pregnancy. *Obstet. Gynecol. Clin. North Am.* Mar 2013;40(1):89-101.
153. American College of O, Gynecologists, Task Force on Hypertension in P. Hypertension in pregnancy. Report of the American College of Obstetricians and Gynecologists' Task Force on Hypertension in Pregnancy. *Obstet. Gynecol.* Nov 2013;122(5):1122-1131.

154. Andersgaard AB, Herbst A, Johansen M, et al. Eclampsia in Scandinavia: incidence, substandard care, and potentially preventable cases. *Acta Obstet. Gynecol. Scand.* 2006;85(8):929-936.
155. Singh R, Kumar N, Jain A, Chakraborty M. Spinal anesthesia for lower segment Cesarean section in patients with stable eclampsia. *J. Clin. Anesth.* May 2011;23(3):202-206.
156. American Congress of Obstetricians and Gynecologists. Maternal Safety Bundle for Obstetric Hemorrhage. 2014; <http://www.acog.org/-/media/Districts/District-II/PDFs/SMI/v2/he01F140602PowerPointPDFOct2014.pdf?la=en>. Accessed May 7, 2015.
157. Mayer DC, Smith KA. Antepartum and Postpartum Hemorrhage. In: Chestnut DH, Polley LS, Tsen LC, Wong CA, eds. *Chestnut's Obstetric Anesthesia: Principles and Practice*. 4th ed. Philadelphia, PA: Mosby Elsevier; 2009:811-836.
158. Braveman FR, Scavone BM, Wong CA, Santos AC. Obstetrical Anesthesia. In: Barash PG, Cullen BF, Stoeling RK, Cahalan MK, Stock MC, eds. *Clinical Anesthesia*. 6th ed. Philadelphia, PA: Lippincott Williams & Wilkins; 2009.
159. Walfish M, Neuman A, Wlody D. Maternal haemorrhage. *BJA: British Journal of Anaesthesia*. 2009;103(suppl\_1):i47-i56.
160. Van de Velde M, Diez C, Varon AJ. Obstetric hemorrhage. *Curr. Opin. Anaesthesiol.* Apr 2015;28(2):186-190.
161. Zhao Y, Zhang Y, Li Z. Appropriate second-line therapies for management of severe postpartum hemorrhage. *Int. J. Gynaecol. Obstet.* Nov 2014;127(2):180-182.
162. Butwick AJ, Goodnough LT. Transfusion and coagulation management in major obstetric hemorrhage. *Curr. Opin. Anaesthesiol.* Jun 2015;28(3):275-284.
163. Hui D, Morrison LJ, Windrim R, et al. The American Heart Association 2010 guidelines for the management of cardiac arrest in pregnancy: consensus recommendations on implementation strategies. *J. Obstet. Gynaecol. Can.* Aug 2011;33(8):858-863.
164. Cohen SE, Andes LC, Carvalho B. Assessment of knowledge regarding cardiopulmonary resuscitation of pregnant women. *Int. J. Obstet. Anesth.* Jan 2008;17(1):20-25.
165. Atta E, Gardner M. Cardiopulmonary resuscitation in pregnancy. *Obstet. Gynecol. Clin. North Am.* Sep 2007;34(3):585-597, xiii.
166. Lisonkova S, Potts J, Muraca GM, et al. Maternal age and severe maternal morbidity: A population-based retrospective cohort study. *PLoS Med.* May 2017;14(5):e1002307.
167. Jeejeebhoy F, Windrim R. Management of cardiac arrest in pregnancy. *Best Pract. Res. Clin. Obstet. Gynaecol.* May 2014;28(4):607-618.
168. Jeejeebhoy FM, Morrison LJ. Maternal cardiac arrest: a practical and comprehensive review. *Emergency medicine international*. 2013;2013:274814.
169. Jeejeebhoy FM, Zelop CM, Lipman S, et al. Cardiac Arrest in Pregnancy. *A Scientific Statement From the American Heart Association*. 2015.
170. Cavazos-Rehg PA, Krauss MJ, Spitznagel EL, et al. Maternal age and risk of labor and delivery complications. *Matern. Child Health J.* Jun 2015;19(6):1202-1211.
171. Parry R, Asmussen T, Smith JE. Perimortem caesarean section. *Emerg. Med. J.* Feb 24 2015.

172. Katz VL. Perimortem cesarean delivery: its role in maternal mortality. *Semin. Perinatol.* Feb 2012;36(1):68-72.
173. American Heart Association. 2015 Guidelines for CPR and ECC. Part 10: Special Circumstances. <https://eccguidelines.heart.org/wp-content/themes/eccstaging/dompdf-master/pdf/files/part-10-special-circumstances-of-resuscitation.pdf>. Accessed August 29, 2017.
174. Gist RS, Stafford IP, Leibowitz AB, Beilin Y. Amniotic fluid embolism. *Anesth. Analg.* May 2009;108(5):1599-1602.
175. Pacheco LD, Saade G, Hankins GDV, Clark SL. Amniotic fluid embolism: diagnosis and management. *Am. J. Obstet. Gynecol.*;215(2):B16-B24.
176. Dean LS, Rogers RP, 3rd, Harley RA, Hood DD. Case scenario: amniotic fluid embolism. *Anesthesiology.* Jan 2012;116(1):186-192.
177. Moore J, Baldisseri MR. Amniotic fluid embolism. *Crit. Care Med.* Oct 2005;33(10 Suppl):S279-285.
178. American College of Obstetricians and Gynecologists District II. Maternal Safety Bundle for Obstetric Hemorrhage. Accessed August 24, 2017.

---

The AANA Board of Directors adopted "Guidelines for the Management of the Obstetrical Patient for the Certified Registered Nurse Anesthetist" at the 1998 Preconvention Board Meeting. The guidelines became effective January 1, 1999. It was revised by the AANA Board of Directors January 2013.

Adopted as "Analgesia and Anesthesia for the Obstetric Patient" Practice Guidelines by the AANA Board of Directors November 2017.

© Copyright 2017