



Standards for Nurse Anesthesia Practice

Standard V

Reference List

The following references were evaluated through the AANA's evidence-based process during the revision of Standard V of the *Standards for Nurse Anesthesia Practice*.

- Al-Ajmi, A., Rouseff, R. T., & Khuraibet, A. J. (2010). Iatrogenic femoral neuropathy: two cases and literature update. *Journal of Clinical Neuromuscular Disease, 12*, 66-75.
- Andrzejowski, J., Hoyle, J., Eapen, G., & Turnbull, D. (2008). Effect of prewarming on post-induction core temperature and the incidence of inadvertent perioperative hypothermia in patients undergoing general anaesthesia. *British Journal of Anaesthesia, 101*, 627-631.
- Aronson, S., Stafford-Smith, M., Phillips-Bute, B., Shaw, A., Gaca, J., & Newman, M. (2010). Intraoperative systolic blood pressure variability predicts 30-day mortality in aortocoronary bypass surgery patients. *Anesthesiology, 113*, 305-312.
- Barash, P. G., Cullen, B. F., Stoelting, R. K., Cahalan, M. K., & Stokc, M. C. (Eds.). (2009). *Clinical Anesthesia* (Sixth ed.). Philadelphia, PA: Wolters Kluwer-Lippincott Williams & Wilkins.
- Barker, S. J. (2002). "Motion-resistant" pulse oximetry: a comparison of new and old models. *Anesthesia and Analgesia, 95*, 967-972, table of contents.
- Barker, S. J., Curry, J., Redford, D., & Morgan, S. (2006). Measurement of carboxyhemoglobin and methemoglobin by pulse oximetry: a human volunteer study. *Anesthesiology, 105*, 892-897.
- Becker, D. E., & Haas, D. A. (2007). Management of complications during moderate and deep sedation: respiratory and cardiovascular considerations. *Anesthesia Progress, 54*, 59-68; quiz 69.
- Beilin, B., Shavit, Y., Razumovsky, J., Wolloch, Y., Zeidel, A., & Bessler, H. (1998). Effects of mild perioperative hypothermia on cellular immune responses. *Anesthesiology, 89*, 1133-1140.
- Bijker, J. B., van Klei, W. A., Kappen, T. H., van Wolfswinkel, L., Moons, K. G., & Kalkman, C. J. (2007). Incidence of intraoperative hypotension as a function of the chosen definition: literature definitions applied to a retrospective cohort using automated data collection. *Anesthesiology, 107*, 213-220.
- Brodsky, J. B. (1999). What intraoperative monitoring makes sense? *Chest, 115*, 101S-105S.
- Brown, E., & Gupta, B. (Dec 2008). Update in Anaesthesia. Biological signals and their measurement. *The Journal of the World Federation of Societies of Anaesthesiologists, 24*(2), 164-169. Retrieved from <http://update.anaesthesiologists.org/wp-content/uploads/file/Update%2024,2.pdf>
- Burton, J. H., Harrah, J. D., Germann, C. A., & Dillon, D. C. (2006). Does end-tidal carbon dioxide monitoring detect respiratory events prior to current sedation monitoring practices? *Academic Emergency Medicine, 13*, 500-504.
- Butterly, A., Bittner, E. A., George, E., Sandberg, W. S., Eikermann, M., & Schmidt, U. (2010). Postoperative residual curarization from intermediate-acting neuromuscular blocking agents delays recovery room discharge. *British Journal of Anaesthesia, 105*, 304-309.
- Cannesson, M., Pestel, G., Ricks, C., Hoeft, A., & Perel, A. (2011). Hemodynamic monitoring and management in patients undergoing high risk surgery: a survey among North American and European anesthesiologists. *Critical Care, 15*, R197.
- Carpenter, L., & Baysinger, C. L. (2012). Maintaining perioperative normothermia in the patient undergoing cesarean delivery. *Obstetrical and Gynecological Survey, 67*, 436-446.
- Centers for Medicare and Medicaid Services. 2011 Physician quality reporting system (physician quality reporting) measure specifications manual for claims and registry reporting of individual measures. March 31, 2011. Retrieved November 1, 2012, from http://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/PQRS/downloads/2011_PhysQualRptg_MeasureSpecificationsManual_033111.pdf

- Cheney, F. W., Domino, K. B., Caplan, R. A., & Posner, K. L. (1999). Nerve injury associated with anesthesia: a closed claims analysis. *Anesthesiology*, *90*, 1062-1069.
- Claudius, C., Garvey, L. H., & Viby-Mogensen, J. (2009). The undesirable effects of neuromuscular blocking drugs. *Anaesthesia*, *64 Suppl 1*, 10-21.
- Claudius, C., & Viby-Mogensen, J. (2008). Acceleromyography for use in scientific and clinical practice: a systematic review of the evidence. *Anesthesiology*, *108*, 1117-1140.
- Cooper, J. B., Newbower, R. S., & Kitz, R. J. (1984). An analysis of major errors and equipment failures in anesthesia management: considerations for prevention and detection. *Anesthesiology*, *60*, 34-42.
- de Boer, H. D. (2009). Neuromuscular transmission: new concepts and agents. *Journal of Critical Care*, *24*, 36-42.
- de Boer, H. D., van Egmond, J., Driessen, J. J., & Booij, L. H. (2007). Update on the management of neuromuscular block: focus on sugammadex. *Neuropsychiatric Disease and Treatment*, *3*, 539-544.
- De Witte, J. L., Demeyer, C., & Vandemaele, E. (2010). Resistive-heating or forced-air warming for the prevention of redistribution hypothermia. *Anesthesia and Analgesia*, *110*, 829-833.
- Deitch, K., Chudnofsky, C. R., & Dominici, P. (2007). The utility of supplemental oxygen during emergency department procedural sedation and analgesia with midazolam and fentanyl: a randomized, controlled trial. *Annals of Emergency Medicine*, *49*, 1-8.
- Deitch, K., Chudnofsky, C. R., & Dominici, P. (2008). The utility of supplemental oxygen during emergency department procedural sedation with propofol: a randomized, controlled trial. *Annals of Emergency Medicine*, *52*, 1-8.
- Deitch, K., Miner, J., Chudnofsky, C. R., Dominici, P., & Latta, D. (2010). Does end tidal CO₂ monitoring during emergency department procedural sedation and analgesia with propofol decrease the incidence of hypoxic events? A randomized, controlled trial. *Annals of Emergency Medicine*, *55*, 258-264.
- Dilmen, O. K., Akcil, E. F., Tureci, E., Tunali, Y., Bahar, M., Tanriverdi, T., et al. (2011). Neurosurgery in the sitting position: retrospective analysis of 692 adult and pediatric cases. *Turkish Neurosurgery*, *21*, 634-640.
- Ehrenfeld, J. M., Funk, L. M., Van Schalkwyk, J., Merry, A. F., Sandberg, W. S., & Gawande, A. (2010). The incidence of hypoxemia during surgery: evidence from two institutions. *Canadian Journal of Anaesthesia*, *57*, 888-897.
- Eichhorn, J. H. (1989). Prevention of intraoperative anesthesia accidents and related severe injury through safety monitoring. *Anesthesiology*, *70*, 572-577.
- Eichhorn, J. H. (1993). Pulse oximetry as a standard of practice in anesthesia. *Anesthesiology*, *78*, 423-426.
- Esnaola, N. F., & Cole, D. J. (2011). Perioperative normothermia during major surgery: is it important? *Advances in Surgery*, *45*, 249-263.
- Fleisher, L. A., Beckman, J. A., Brown, K. A., Calkins, H., Chaikof, E., Fleischmann, K. E., et al. (2008). ACC/AHA 2007 guidelines on perioperative cardiovascular evaluation and care for noncardiac surgery: executive summary: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 2002 Guidelines on Perioperative Cardiovascular Evaluation for Noncardiac Surgery). *Anesthesia and Analgesia*, *106*, 685-712.
- Fuchs-Buder, T., Schreiber, J. U., & Meistelman, C. (2009). Monitoring neuromuscular block: an update. *Anaesthesia*, *64 Suppl 1*, 82-89.
- Goepfert, C. E., Ifune, C., & Tempelhoff, R. (2010). Ischemic optic neuropathy: are we any further? *Current Opinion in Anaesthesiology*, *23*, 582-587.
- Hemmerling, T. M., Russo, G., & Bracco, D. (2008). Neuromuscular blockade in cardiac surgery: an update for clinicians. *Annals of Cardiac Anaesthesia*, *11*, 80-90.
- Henneman, J. P., Martinez, E. A., Ehrenfeld, J. M., & Eikermann, M. (October 16, 2011). The use of intermediate acting neuromuscular blocking agents is associated with increased postoperative respiratory complications. *ASA Abstract*.
- Hill, E., Stoneham, M. D., & Fearnley, S. J. (Dec 2008). Update in Anaesthesia. Practical applications of pulse oximetry. *The Journal of the World Federation of Societies of Anaesthesiologists*, *24*(2), 156-159. Retrieved from <http://update.anaesthesiologists.org/wp-content/uploads/file/Update%2024,2.pdf>
- Hindman, B. J., Palecek, J. P., Posner, K. L., Traynelis, V. C., Lee, L. A., Sawin, P. D., et al. (2011). Cervical spinal cord, root, and bony spine injuries: a closed claims analysis. *Anesthesiology*, *114*, 782-795.

- Hirschl, M. M., Binder, M., Herkner, H., Bur, A., Brunner, M., Seidler, D., et al. (1996). Accuracy and reliability of noninvasive continuous finger blood pressure measurement in critically ill patients. *Critical Care Medicine*, 24, 1684-1689.
- Hooper, V. D. (2009). An introduction to the ASPAN evidence-based clinical practice guideline for the promotion of perioperative normothermia. *Journal of Perianesthesia Nursing*, 24, 269-270.
- Hooper, V. D., Chard, R., Clifford, T., Fetzer, S., Fossum, S., Godden, B., et al. (2009). ASPAN's evidence-based clinical practice guideline for the promotion of perioperative normothermia. *Journal of Perianesthesia Nursing*, 24, 271-287.
- Kannikeswaran, N., Chen, X., & Sethuraman, U. (2011). Utility of endtidal carbon dioxide monitoring in detection of hypoxia during sedation for brain magnetic resonance imaging in children with developmental disabilities. *Paediatric Anaesthesia*, 21, 1241-1246.
- Kopman, A. F. (2009). Neuromuscular monitoring: old issues, new controversies. *Journal of Critical Care*, 24, 11-20.
- Kurz, A. (2008). Thermal care in the perioperative period. *Best Practice and Research. Clinical Anaesthesiology*, 22, 39-62.
- Lightdale, J. R., Goldmann, D. A., Feldman, H. A., Newburg, A. R., DiNardo, J. A., & Fox, V. L. (2006). Microstream capnography improves patient monitoring during moderate sedation: a randomized, controlled trial. *Pediatrics*, 117, e1170-1178.
- Mahoney, C. B., & Odom, J. (1999). Maintaining intraoperative normothermia: a meta-analysis of outcomes with costs. *AANA Journal*, 67, 155-163.
- McFadyen, G. (Dec 2008). Update in Anaesthesia. Respiratory gas analysis. *The Journal of the World Federation of Societies of Anaesthesiologists*, 24(2), 170-173. Retrieved from <http://update.anaesthesiologists.org/wp-content/uploads/file/Update%2024,2.pdf>
- McGrath, C. D., & Hunter, J. M. (Jun 2009). Update in Anaesthesia. Monitoring of neuromuscular block. *The Journal of the World Federation of Societies of Anaesthesiologists*, 25(1), 42-46. Retrieved from <http://update.anaesthesiologists.org/wp-content/uploads/2009/10/Update-251-2009.pdf>
- Moerman, A. T., De Hert, S. G., Jacobs, T. F., De Wilde, L. F., & Wouters, P. F. (2012). Cerebral oxygen desaturation during beach chair position. *European Journal of Anaesthesiology*, 29, 82-87.
- Moller, J. T., Johannessen, N. W., Espersen, K., Ravlo, O., Pedersen, B. D., Jensen, P. F., et al. (1993). Randomized evaluation of pulse oximetry in 20,802 patients: II. Perioperative events and postoperative complications. *Anesthesiology*, 78, 445-453.
- Molloy, B. L. (2011). Implications for postoperative visual loss: steep trendelenburg position and effects on intraocular pressure. *AANA Journal*, 79, 115-121.
- Murphy, G. S. (2006). Residual neuromuscular blockade: incidence, assessment, and relevance in the postoperative period. *Minerva Anestesiologica*, 72, 97-109.
- Murphy, G. S., & Brull, S. J. (2010). Residual neuromuscular block: lessons unlearned. Part I: definitions, incidence, and adverse physiologic effects of residual neuromuscular block. *Anesthesia and Analgesia*, 111, 120-128.
- Nagelhout, J. J., & Plaus, K. L. (Eds.). (2010). *Nurse Anesthesia* (Fourth ed.). St. Louis: MO: Saunders.
- Naguib, M., Kopman, A. F., & Ensor, J. E. (2007). Neuromuscular monitoring and postoperative residual curarisation: a meta-analysis. *British Journal of Anaesthesia*, 98, 302-316.
- Ngamprasertwong, P., Kositanurit, I., Yokanit, P., Lerdsirisopon, S., Pulnitiporn, A., & Klanarong, S. (2009). The Thai Anesthesia Incident Monitoring study (Thai AIMS): perioperative arrhythmia. *Journal of the Medical Association of Thailand*, 92, 342-350.
- Nishiyama, T. (2006). Pulse oximeters demonstrate different responses during hypothermia and changes in perfusion. *Canadian Journal of Anaesthesia*, 53, 136-138.
- Pedersen, T., Moller, A. M., & Pedersen, B. D. (2003). Pulse oximetry for perioperative monitoring: systematic review of randomized, controlled trials. *Anesthesia and Analgesia*, 96, 426-431, table of contents.
- Plaud, B., Debaene, B., Donati, F., & Marty, J. (2010). Residual paralysis after emergence from anesthesia. *Anesthesiology*, 112, 1013-1022.
- Practice advisory for the prevention of perioperative peripheral neuropathies: an updated report by the American Society of Anesthesiologists Task Force on prevention of perioperative peripheral neuropathies. (2011). *Anesthesiology*, 114, 741-754.

- Practice advisory for perioperative visual loss associated with spine surgery: an updated report by the American Society of Anesthesiologists Task Force on Perioperative Visual Loss. (2012). *Anesthesiology*, 116, 274-285.
- Quality Net. Surgical care improvement project: Section 2.4; Specifications Manual, Version 3.0c. Revised August 07, 2009. Retrieved November 1, 2012, from <http://www.qualitynet.org/dcs/ContentServer?c=Page&pagename=QnetPublic%2FPage%2FQnetTier4&cid=1228695698425>
- Radawski, M. M., Strakowski, J. A., & Johnson, E. W. (2011). Acute common peroneal neuropathy due to hand positioning in normal labor and delivery. *Obstetrics and Gynecology*, 118, 421-423.
- Rains, D. D., Rooke, G. A., & Wahl, C. J. (2011). Pathomechanisms and complications related to patient positioning and anesthesia during shoulder arthroscopy. *Arthroscopy : The Journal of Arthroscopic & Related Surgery*, 27, 532-541.
- Reuss, J. L., & Siker, D. (2004). The pulse in reflectance pulse oximetry: modeling and experimental studies. *Journal of Clinical Monitoring and Computing*, 18, 289-299.
- Risk factors associated with ischemic optic neuropathy after spinal fusion surgery. (2012). *Anesthesiology*, 116, 15-24.
- Sessler, D. I. (2001). Complications and treatment of mild hypothermia. *Anesthesiology*, 95, 531-543.
- Sessler, D. I. (2009). New surgical thermal management guidelines. *Lancet*, 374, 1049-1050.
- Shanewise, J. S. (2006). How to reliably detect ischemia in the intensive care unit and operating room. *Seminars in Cardiothoracic and Vascular Anesthesia*, 10, 101-109.
- Singh, A., & Antognini, J. F. (2011). Perioperative hypotension and myocardial ischemia: diagnostic and therapeutic approaches. *Annals of Cardiac Anaesthesia*, 14, 127-132.
- Stang-Veldhouse, K. N., Yeu, E., Rothenberg, D. M., & Mizen, T. R. (2010). Unusual presentation of perioperative ischemic optic neuropathy following major spine surgery. *Journal of Clinical Anesthesia*, 22, 52-55.
- Thompson, J. E., & Jaffe, M. B. (2005). Capnographic waveforms in the mechanically ventilated patient. *Respiratory Care*, 50, 100-108; discussion 108-109.
- Thompson, J. P., & Mahajan, R. P. (2006). Monitoring the monitors--beyond risk management. *British Journal of Anaesthesia*, 97, 1-3.
- Tinker, J. H., Dull, D. L., Caplan, R. A., Ward, R. J., & Cheney, F. W. (1989). Role of monitoring devices in prevention of anesthetic mishaps: a closed claims analysis. *Anesthesiology*, 71, 541-546.

Reference list created in October 2012.

DISCLAIMER

The resources on this page may incorporate or summarize views, guidelines or recommendations of third parties. Such material is assembled and presented in good faith, but does not necessarily reflect the views of the AANA.